

# Actuator

18-  
032.0054L

Distribution by  
Mouser



<https://mouser.eao.com/component/18-032.0054L...>

Your product:

---



## 18-032.0054L Actuator

### PRODUCT RANGE

**Product Status:** Phase-out

### FRONT

**Front dimension:** Ø 9 mm

**Front form:** Round

**Front bezel colour:** Black

**Front bezel material:** Plastic

### MOUNTING

**Design:** Raised

**Mounting type:** Panel mounting

### OPERATING-/INDICATION PART

**Lens colour:** Yellow

**Lens material:** Plastic

**Lens illumination:** Illuminated

**Lens shape:** Flush

**Lens optics:** translucent

**Illumination colour:** Yellow

### ELECTRICAL CHARACTERISTICS

**Operating voltage:** 24 V DC ±10 %

## MECHANICAL CHARACTERISTICS

<b>Terminal:</b>	Soldering terminal
<b>Weight:</b>	0.002 kg

## CERTIFICATE


<b>REACH:</b>	REACH compliant
<b>RoHS:</b>	RoHS compliant

## OTHER

**Short Description:** Actuator, Ø 9 mm, Flush, Illuminated, Yellow, Plastic, translucent, Round, Black, Plastic, Soldering terminal, Yellow


**Product attributes:** Luminosity and wave length variations caused by LED manufacturing processes may cause slight differences regarding the illumination. The customer has to decide what resistor shall be used to the LED

**Wiring diagrams:**




**Component layouts:**

A = Terminals (rear side)  
B = Indicator



**Mounting cut-outs:**



**Dimension drawings:**

