

# Actuator

19-  
030.005

Distribution by  
Mouser



<https://mouser.eao.com/component/19-030.005/e...>

Your product:

---



## 19-030.005 Actuator

### FRONT

<b>Front dimension:</b>	Ø 9 mm
<b>Front form:</b>	Round
<b>Front bezel colour:</b>	Black
<b>Front bezel material:</b>	Plastic

### MOUNTING

<b>Design:</b>	Raised
<b>Mounting cut-out:</b>	Ø 8 mm
<b>Mounting type:</b>	Panel mounting

### MECHANICAL CHARACTERISTICS

<b>Terminal:</b>	Plug-in terminal, 2 x 0.5 mm
<b>Weight:</b>	0.002 kg

### AMBIENT CONDITION


<b>Operating temperature:</b>	– 25 °C ... + 45 °C with filament lamp, – 25 °C ... + 65 °C with LED, mounted as a block, make sure the heat can escape freely
-------------------------------	--

### CERTIFICATE


<b>REACH:</b>	REACH compliant
<b>RoHS:</b>	RoHS compliant

### OTHER

<b>Short Description:</b>	Actuator, Ø 8 mm, Ø 9 mm, Round, Black, Plastic, Plug-in terminal, 2 x 0.5 mm
<b>Internal size:</b>	Ø 7,3 mm
<b>Housing colour:</b>	Black
<b>Housing material:</b>	Plastic
<b>Wiring diagrams:</b>	




**Component layouts:**



A = Terminals (rear side)  
 B = Indicator

**Mounting cut-outs:**



Dimension drawings:

