

# Actuator

19-  
030.005

Distribution by  
Mouser



<https://mouser.eao.com/p/19-030.005>

Your product:

---



## 19-030.005 Actuator

### FRONT

|                       |         |
|-----------------------|---------|
| Front dimension:      | Ø 9 mm  |
| Front form:           | Round   |
| Front bezel colour:   | Black   |
| Front bezel material: | Plastic |

### MOUNTING

|                   |                |
|-------------------|----------------|
| Design:           | Raised         |
| Mounting cut-out: | Ø 8 mm         |
| Mounting type:    | Panel mounting |

### ELECTRICAL CHARACTERISTICS

Switching rating:

### MECHANICAL CHARACTERISTIC

|           |                              |
|-----------|------------------------------|
| Terminal: | Plug-in terminal, 2 x 0.5 mm |
| Weight:   | 0.001 kg                     |

### AMBIENT CONDITION

Operating temperature: – 25 °C ... + 45 °C with filament lamp, – 25 °C ... + 65 °C with LED, mounted as a block, make sure the heat can escape freely

### CERTIFICATE

|        |                 |
|--------|-----------------|
| REACH: | REACH compliant |
|--------|-----------------|

**RoHS:**

RoHS compliant

**OTHER**

**Short Description:**

Actuator, Ø 8 mm, Ø 9 mm, Round, Black, Plastic, Plug-in terminal, 2 x 0.5 mm

**Internal size:**

Ø 7,3 mm


**Housing colour:**

Black


**Housing material:**

Plastic

**Wiring diagrams:**




**Component layouts:**



A = Terminals (rear side)

B = Indicator

**Mounting cut-outs:**



Dimension drawings:

