

e a o

Your Expert Partner for Human Machine Interfaces

Actuator

61-0059.0

Distribution by
Mouser



<https://mouser.eao.com/component/61-0059.0/en...>

Your product:



61-0059.0
Actuator

FRONT

Front dimension:	24 mm x 24 mm
Front form:	Square
Front bezel colour:	Black
Front bezel material:	Plastic

MOUNTING

Mounting type:	Panel mounting
-----------------------	----------------

MECHANICAL CHARACTERISTICS

Tightening torque:	Max. 0.5 Nm
Weight:	0.005 kg

AMBIENT CONDITION

IP Protection:	IP40 rear side, according to EN IEC 60529, IP67 front side, according to EN IEC 60529
Operating temperature:	- 25 °C ... + 55 °C
Storage temperature:	- 40 °C ... + 85 °C

CERTIFICATE

REACH:	REACH compliant
RoHS:	RoHS compliant

OTHER

Short Description:

Actuator, 24 mm x 24 mm, Square, Black, Plastic

Dimension:

24 mm x 24 mm

Internal size:



20 mm x 20 mm

Housing colour:


Black

Housing material:

Plastic, according to UL 94 V0, self-extinguishing

Wiring diagrams:**Mounting cut-outs:**

A = Solder/Plug-in terminal 2.8 mm x 0.5 mm
B = Solder terminal
C = Screw terminal

Dimension drawings:

A = Plug-in terminal 2.8 mm x 0.5 mm
B = Solder terminal
C = Screw terminal
D = Flasher
E = Slow-make switching element
F = Snap-action switching element

