

# Actuator

704.123.118KN

Distribution by  
Mouser



<https://mouser.eao.com/component/704.123.118K...>

Your product:

---



## 704.123.118KN Actuator

*Loading ...*

### FRONT

<b>Front dimension:</b>	Ø 35 mm
<b>Front form:</b>	Round
<b>Front bezel colour:</b>	Nature
<b>Front bezel material:</b>	Aluminium

### MOUNTING

<b>Design:</b>	Flush
<b>Mounting cut-out:</b>	Ø 30.5 mm
<b>Mounting type:</b>	Panel mounting

### MECHANICAL CHARACTERISTICS

<b>Switching action:</b>	Maintained - Rest (a)
<b>Weight:</b>	0.098 kg


### CERTIFICATE

<b>REACH:</b>	REACH compliant
<b>RoHS:</b>	RoHS compliant


### OTHER

<b>Short Description:</b>	Actuator, Ø 30.5 mm, Ø 35 mm, Round, Nature, Aluminium, Maintained - Rest (a)
<b>Hints:</b>	The standard lock Ronis 251
<b>max. number of switching elements:</b>	1

**Mounting cut-outs:**



**Dimension drawings:**



- 1 = Kraus & Naimer switching element
- $A = (\text{Number of stages} \times 12) + 66.5 \text{ mm}$
- 2 = Santon switching element
- $B = (\text{Number of stages} \times 13.5) + 65.5 \text{ mm}$