


Lamp element

71-670.006

Distribution by
Mouser



<https://mouser.eao.com/component/71-670.006/e...>

Your product:



71-670.006 Lamp element

Loading ...

MECHANICAL CHARACTERISTICS

Terminal: PCB terminal

Weight: 0.005 kg

CERTIFICATE

REACH: REACH compliant

RoHS: RoHS compliant

OTHER


Short Description: Lamp element, PCB terminal, Plastic

Material: Plastic


Housing material: Plastic

Hints: Including locking pin

Wiring diagrams:



Component layouts:



A = Terminals (rear side)

B = Drilling plan (component side)

C = non-metallic

D = Cu-Pad

E = Occupancy plan (component side)

F = 1. Switch

G = Switching element 2 Normaly close + 2 Normaly open, Part No. 71-672.026

H = 2. Switches

I = Switching element 1 Normaly close + 1 Normaly open, Part No. 71-671.026

J = Illumination element, Part No. 71-670.026

K = X1 Lamp cathode (-)

L = X2 Lamp anode (+)

M = 1-2 Contact normally closed

N = 3-4 Contact normally open

O = 5 Hole for interlocking pin

P = Front dimension min.

Q = Position interlocking pin

R = Note:

Pitch of the print circuit board hole Ø3.5 must agree with the mounting holes on the front plate

S = Slot in actuator