

Your Expert Partner for Human Machine Interfaces

Indicator element

Distribution by Mouser



84-8001.5620





https://mouser.eao.com/p/84-8001.5620

Your product:



84-8001.5620 Indicator element

OPERATING-/INDICATION PART	
Illumination colour:	Green
ELECTRICAL CHARACTERISTICS	
Operating voltage:	24 V DC ±10 %
MECHANICAL CHARATERISTIC	
Terminal:	Plug-in terminal, 2.8 x 0.8 mm
Weight:	0.005 kg
AMBIENT CONDITION	
IP Protection:	IP40
CERTIFICATE	
REACH:	REACH compliant
RoHS:	RoHS compliant
OTHER	
Short Description:	Indicator element, Green, Single-LED, 24 V DC ± 10 %, Plug-in terminal, 2.8 x 0.8 mm
Kind of illlumination:	Single-LED
Hints:	LED and built-in resistor included,Standard version: Cable length 300 mm,Other options on request: Customisation of cable and connectors, rear side fully sealed (IP 67),Protection degree (rear side): IP 40, upgrade to IP 67 with plug Part No. 84-900 possible. With applications where strong vibrations occure, the plugs may become loose,Luminosity and wave length variations caused by LED

84-

manufacturing processes may cause slight differences regarding the illumination. The customer has to decide what resistor shall be used to the LED

Wiring diagrams:

